

1 **51. (Twice Amended)** A content provider, comprising:
2 a storage system to store content;
3 a server connected to the storage system to serve the content to a local
4 service provider which provides the content to multiple clients;
5 a network port adapted for connection to a first network, the server serving
6 the content via the first network to the local service provider; and
7 a transmitter, responsive to the server, to transmit the content over a second
8 network to the local service provider, the second network providing additional
9 bandwidth so that the transmitter can serve the content to the local service provider
10 in an event that the content is not served via the first network within a designated
11 time period.

12
13 **52.** A content provider as recited in claim 51, wherein:
14 the network port comprises a connector compatible with a wire-based
15 communications network; and
16 the transmitter comprises a transmitter capable of transmitting signals over
17 a wireless medium.

18
19 **53.** A content provider as recited in claim 51, wherein the server is
20 further configured to serve the content to the local service provider in response to
21 requests from the multiple clients.

22
23 **54.** A content provider as recited in claim 51, wherein the server is
24 further configured to serve the content to at least one other local service provider
25 which provides the content to multiple clients.

1 55. A content provider as recited in claim 51, wherein:
2 the server is further configured to serve the content to at least one other
3 local service provider which provides the content to multiple clients; and
4 the transmitter is further configured to transmit the content over the second
5 network to the at least one other local service provider.

6
7 Please add new claims 56-63 as follows:
8

9 56. A content provider as recited in claim 51, wherein the first network
10 is a high-speed, high-bandwidth network, and wherein the second network is a
11 broadcast satellite network.

12
13 57. A content provider, comprising:
14 a storage system to store content;
15 a server connected to the storage system to serve the content to a local
16 service provider which provides the content to multiple clients;
17 a high-speed, high-bandwidth network to communicate the content from the
18 server to the local service provider; and
19 a broadcast satellite network to communicate the content from the server to
20 the local service provider.

21
22 58. A content provider as recited in claim 57, wherein the broadcast
23 satellite network includes additional bandwidth to communicate the content from
24 the server to the local service provider.
25

1 59. A content provider as recited in claim 57, wherein the broadcast
2 satellite network includes additional bandwidth to communicate a portion of the
3 content from the server to the local service provider in an event that the high-
4 speed, high-bandwidth network does not communicate the portion of the content
5 within a designated time period.

6
7 60. A content provider as recited in claim 57, wherein the server is
8 further configured to serve a first portion of the content to the local service
9 provider via the high-speed, high-bandwidth network, and serve a second portion
10 of the content to the local service provider via the broadcast satellite network.

11
12 61. A content provider as recited in claim 57, wherein the server is
13 further configured to serve the content to the local service provider in response to
14 requests from the multiple clients.

15
16 62. A content provider as recited in claim 57, wherein the server is
17 further configured to serve the content to at least one other local service provider
18 which provides the content to multiple clients.

19
20 63. A content provider as recited in claim 57, wherein:
21 the server is further configured to serve the content to at least one other
22 local service provider which provides the content to multiple clients; and
23 the broadcast satellite network is further configured to communicate the
24 content from the server to the at least one other local service provider.